

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH 1- 4nos	PRICE EACH 5 - 9 nos	PRICE EACH 10 - 25 nos	PRICE EACH > 25 nos
69	85011012	1066	34	BH86SH65-2004AKS	BIPOLAR	27.4 kg-cm	2.74 Nm	4755	4605	4510	4410
70	85011012	1067	34	BH86SH65-4104AKS	BIPOLAR	27.4 kg-cm	2.74 Nm	4755	4605	4510	4410
71	85011012	1068	34	BH86SH65-6004AKS	BIPOLAR	27.4 kg-cm	2.74 Nm	4755	4605	4510	4410
72	85011012	1069	34	BH86SH80-2004AKS	BIPOLAR	50.9 kg-cm	5.09 Nm	6215	5860	5650	5485
73	85011012	1070	34	BH86SH80-4104AKS	BIPOLAR	50.9 kg-cm	5.09 Nm	6215	5860	5650	5485
74	85011012	1071	34	BH86SH80-5504AKS	BIPOLAR	50.9 kg-cm	5.09 Nm	6215	5860	5650	5485
75	85011012	1072	34	BH86SH96-2004AKS	BIPOLAR	74.4 kg-cm	7.44 Nm	7450	7010	6860	6760
76	85011012	1073	34	BH86SH96-4004AKS	BIPOLAR	74.4 kg-cm	7.44 Nm	7450	7010	6860	6760
77	85011012	1074	34	BH86SH96-5504AKS	BIPOLAR	74.4 kg-cm	7.44 Nm	7450	7010	6860	6760
78	85011012	1075	34	BH86SH118-4004AKS	BIPOLAR	91.9 kg-cm	9.19 Nm	8910	8425	8285	8185
79	85011012	1076	34	BH86SH118-6004AKS	BIPOLAR	91.9 kg-cm	9.19 Nm	8910	8425	8285	8185
80	85013112	1077	34	BH86SH156-6004AKS	BIPOLAR	133 kg-cm	13.3 Nm	10290	9700	9585	9295
81	85013112	1078	34	BH86SH156-6204AKS	BIPOLAR	175.5 kg-cm	17.55 Nm	12935	12495	12350	12250

NEMA 34 (86MM - S) UNIPOLAR STEPPER MOTORS											
SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 4nos	5 - 9 nos	10 - 25 nos	> 25 nos
82	85011012	1079	34	BH86SH65-4206AKS	UNIPOLAR	28 kg-cm	2.8 Nm	4755	4605	4510	4410
83	85011012	1080	34	BH86SH96-4006AKS	UNIPOLAR	41.3 kg-cm	4.13 Nm	7450	7010	6860	6760
84	85011012	1081	34	BH86SH118-4206AKS	UNIPOLAR	62.7 kg-cm	6.27 Nm	9410	8965	8820	8720
85	85013112	1082	34	BH86SH156-4206AKS	UNIPOLAR	92 kg-cm	9.2 Nm	11290	10950	10725	10275
86	85013112	1083	34	BH86SH156-4006AKS	UNIPOLAR	135 kg-cm	13.5 Nm	13775	13335	13190	13090

NEMA 42 (110MM) STEPPER MOTORS											
SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 3 nos	4 - 7 nos	8 - 10 nos	> 10 nos
87	85013112	1084	42	BH110SH150-6504AK	BIPOLAR	220 kg-cm	22 Nm	13065	12430	12190	11900
88	85013112	1085	42	BH110SH201-8004AK	BIPOLAR	300 kg-cm	30 Nm	16335	15520	15155	14840

SMART STEPPER MOTOR DRIVER PLUS RPM & DIRECTION CONTROLLER - AVAILABILITY APRIL 2011!											
SR NO	HSN CODE	PRODUCT CODE NO	Drive Model	Type	Resolution	Power Supply	Max. Cur/phase	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 5 nos	6 - 10 nos	11 - 25 nos	PRICE EACH
89	85030090	2028	BH-SMART-2A	High Performance 2 Amp Smart Microstepping Bipolar Drive Plus RPM & Direction Controller	1 - 1/16	Supply voltage 15V to 45VDC	Output current 0.25A - 2A	2500	2375	2250	
90	85030090	2029	BH-SMART-4.5A	High Performance 4.5 Amp Smart Microstepping Bipolar Drive Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 0.5A - 4.5A	3000	2850	2700	
91	85030090	2030	BH-SMART-6A	High Performance 6 Amp Smart Microstepping Bipolar Drive Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 1A - 6 A	4500	4275	4050	
92	85030090	2031	BH-SMART-8A	High Performance 8 Amp Smart Microstepping Bipolar Drive Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 0.5A - 8 A	8000	7600	7200	

SMART MODBUS STEPPER MOTOR DRIVER PLUS RPM & DIRECTION CONTROLLER - AVAILABILITY APRIL 2011!											
SR NO	HSN CODE	PRODUCT CODE NO	Drive Model	Type	Resolution	Power Supply	Max. Cur/phase	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 5 nos	6 - 10 nos	11 - 25 nos	PRICE EACH
93	85030090	2032	BH-SMART-MODBUS-2A	High Performance 2 Amp Smart Microstepping Bipolar Drive With Modbus Communication Plus RPM & Direction Controller	1 - 1/16	Supply voltage 15V to 45VDC	Output current 0.25A - 2A	7000	6650	6370	
94	85030090	2033	BH-SMART-MODBUS-4.5A	High Performance 4.5 Amp Smart Microstepping Bipolar Drive With Modbus Communication Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 0.5A - 4.5A	8000	7600	7280	
95	85030090	2034	BH-SMART-MOSBUS-6A	High Performance 6 Amp Smart Microstepping Bipolar Drive With Modbus Communication Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 1A - 6 A	9000	8550	8190	
96	85030090	2035	BH-SMART-MODBUS-8A	High Performance 8 Amp Smart Microstepping Bipolar Drive With Modbus Communication Plus RPM & Direction Controller	1 - 1/16	Supply voltage 20V to 80VDC/ 15V TO 55 VAC 50/60 Hz	Output current 0.5A - 8 A	15500	14275	13950	

STEPPER MOTOR DRIVES											
SR NO	HSN CODE	PRODUCT CODE NO	Drive Model	Type	Resolution	Power Supply	Max. Cur/phase	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 5 nos	6 - 10 nos	11 - 25 nos	PRICE EACH
97	85030090	1086	BH-MSD-2A	High Performance 2 Amp Microstepping Bipolar Drive	1 - 1/128	Supply voltage 12V to 36VDC	Output current 0.25A - 2A	3300	3100	3000	
98	85030090	1087	BH-MSD-4.5A	High Performance 4.5 Amp Microstepping Bipolar Drive	1/2 - 1/256	Supply voltage 24V to 50VDC	Output current 1.3A - 4.5A	3950	3750	3550	
99	85030090	2048	BH-MSD-6A-N	High Performance 6 Amp Microstepping Bipolar Drive	1/2 - 1/256	Supply voltage 24VDC to 75VDC	Output current 2A - 6 A	6100	5900	5400	
100	85030090	1089	BH-MSD-8A	High Performance 8 Amp Microstepping Bipolar Drive	1 - 1/256	Supply voltage 110VAC to 200VAC	Output current 0.5A - 8 A	14000	13000	12000	

STEPPER DRIVER CONTROLLER											
SR NO	HSN CODE	PRODUCT CODE NO	Controller Model	Controller Type	HMI	Input Power Supply	External Inputs & Ouputs	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
								1- 5 nos	6 - 10 nos	11 - 25 nos	PRICE EACH
101	85030090	1922	BH-SDC-01N	Single motor	16x2 LCD Colour display	85-265 V ACDC	4 Each	6000	5800	5500	
102	85030090	1923	BH-SDC-02N	Two motors	16x2 LCD Colour display	85-265 V ACDC	4 Each	9000	8800	8500	

TRANSFORMERS (POWER SUPPLY)

SR NO	HSN CODE	PRODUCT CODE NO	Transformer Model	Input Output Voltage	Current Capacity	Suitable For	PRICE EACH	PRICE EACH	PRICE EACH
							1- 5 nos	6 - 10 nos	11 - 25 nos
103	85030090	1092	BH-12 Volts DC	INPUT : 230 VAC OUTPUT : 12 VDC	2 Amps	BH-MSD-2 Amp Microstepping BIPOLAR DRIVE	550	500	450
104	85030090	1093	BH-24 Volts DC (Toroidal)	INPUT : 230 VAC OUTPUT : 24 VDC	3.5 Amps	BH-MSD-2 Amp Microstepping BIPOLAR DRIVE	3600	3400	3200
105	85030090	1796	BH-24 Volts DC X 2	INPUT : 230 VAC OUTPUT : 24 VDC X 2	7 Amps	BH-MSD-2 Amp Microstepping BIPOLAR DRIVE	5150	4950	4750
106	85030090	1797	BH-24 Volts DC X 3	INPUT : 230 VAC OUTPUT : 24 VDC X 3	10.5 Amps	BH-MSD-2 Amp Microstepping BIPOLAR DRIVE	9625	9425	9225
107	85030090	1094	BH-48 Volts DC (Toroidal)	INPUT : 230 VAC OUTPUT : 48 VDC	4.5 Amps	BH-MSD-4.5 Amp Microstepping BIPOLAR DRIVE	4900	4700	4500
108	85030090	1412	BH-48 Volts DC X 2	INPUT : 230 VAC OUTPUT : 48 VDC X 2	9 Amps	BH-MSD-4.5 Amp Microstepping BIPOLAR DRIVE	6400	6200	6000
109	85030090	1356	BH-48 Volts DC X 3	INPUT : 230 VAC OUTPUT : 48 VDC X 3	13.5 Amps	BH-MSD-4.5 Amp Microstepping BIPOLAR DRIVE	7500	7300	7100
110	85030090	2049	BH-72 Volts DC	INPUT : 230 VAC OUTPUT : 72 VDC	6 Amps	BH-MSD-6A-N Amp Microstepping BIPOLAR DRIVE	7000	6800	6600
111	85030090	2050	BH-72 Volts DC X 2	INPUT : 230 VAC OUTPUT : 72 VDC X 2	12 Amps	BH-MSD-6A-N Amp Microstepping BIPOLAR DRIVE	9200	9000	8800
112	85030090	2051	BH-72 Volts DC X 3	INPUT : 230 VAC OUTPUT : 72 VDC X 3	18 Amps	BH-MSD-6A-N Amp Microstepping BIPOLAR DRIVE	11300	11100	10900
113	85030090	1096	BH-120 Volts AC	INPUT : 230 VAC OUTPUT : 120 VAC	8 Amps	BH-MSD-8 Amp Microstepping BIPOLAR DRIVE	8000	7800	7600
114	85030090	1798	BH-120 Volts AC X 2	INPUT : 230 VAC OUTPUT : 120 VAC X 2	16 Amps	BH-MSD-8 Amp Microstepping BIPOLAR DRIVE	12850	12650	12450
115	85030090	1799	BH-120 Volts AC X 3	INPUT : 230 VAC OUTPUT : 120 VAC X 3	24 Amps	BH-MSD-8 Amp Microstepping BIPOLAR DRIVE	15700	15500	15300

STEPPER MOTOR MOUNTING BRACKET

SR NO	HSN CODE	PRODUCT CODE NO	MB MODEL NO	NEMA SIZE	PRICE EACH			
					1- 5 nos	6 - 10 nos	11 - 25 nos	PRICE EACH > 25 nos
116	84669310	1097	BH42-MB	NEMA 17(42MM) MOUNTING BRACKET	260	250	240	225
117	84669310	1098	BH42-MB-PL	NEMA 17(42MM) PLANETARY GEARED MOUNTING BRACKET	305	295	285	270
118	84669310	1099	BH57-MB	NEMA 23(57MM) MOUNTING BRACKET	395	380	375	360
119	84669310	1100	BH57-MB-PL	NEMA 23(57MM) PLANETARY GEARED MOUNTING BRACKET	780	755	735	705
120	84669310	1101	BH60-MB	NEMA 24(60MM) MOUNTING BRACKET	440	425	420	405
121	84669310	1102	BH86-MB	NEMA 34(86MM) MOUNTING BRACKET	795	775	745	720
122	84669310	1103	BH86-MB-PL	NEMA 34(86MM) PLANETARY GEARED MOUNTING BRACKET	1585	1545	1515	1480
123	84669310	1104	BH110-MB	NEMA 42(110MM) MOUNTING BRACKET	1585	1545	1515	1480

RIGID COUPLINGS

SR NO	HSN CODE	PRODUCT CODE NO	RC MODEL NO	NEMA SIZE	BORE SIZE IN MM		PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
					A - MOTOR END	B	1- 5 nos	6 - 10 nos	11 - 25 nos	> 25 nos
124	84669310	1105	BH42-RC-5X5	NEMA 17 (42 MM)	5	5	515	490	470	445
125	84669310	1106	BH42-RC-5X6.35	NEMA 17 (42 MM)	5	6.35	515	490	470	445

215	85011012	1137	23	BH57SH100-3004AK	BIPOLAR	150 kg-cm	15 Nm	9460	9260	8965	8725
216	85011012	1138	23	BH57SH81-2804HL-7.5	BIPOLAR	165 kg-cm	16.5 Nm	10335	10030	9820	9410
217	85011012	1139	24	BH60SH65-2804HL-10	BIPOLAR	210 kg-cm	21 Nm	11620	11270	11040	10585
218	85011012	1140	24	BH60SH65-2804HL-15	BIPOLAR	310 kg-cm	31 Nm	12480	12105	11855	11360
219	85011012	1141	24	BH60SH65-2804HL-20	BIPOLAR	420 kg-cm	42 Nm	13090	12695	12435	11910
220	85011012	1142	24	BH60SH86-2804HL-20	BIPOLAR	620 kg-cm	62 Nm	15260	14805	14500	13885
221	85011012	1143	34	BH86SH80-5504HL-15	BIPOLAR	690 kg-cm	69 Nm	18885	18325	17945	17190
222	85011012	1144	34	BH86SH118-6004HL-7.5	BIPOLAR	650 kg-cm	65 Nm	20510	19890	19485	18665
223	85011012	1145	34	BH86SH118-6004HL-10	BIPOLAR	870 kg-cm	87 Nm	21440	20800	20375	19515
224	85011012	1146	34	BH86SH118-6004HL-15	BIPOLAR	1300 kg-cm	130 Nm	22215	21550	21105	20220
225	85011012	1147	34	BH86SH118-6004HL-20	BIPOLAR	1740 kg-cm	174 Nm	22845	22155	21700	20790

PLANETARY GEARED STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH 1- 3 nos	PRICE EACH 4 - 7 nos	PRICE EACH 8 - 10 nos	PRICE EACH > 10 nos
226	85011012	1148	17	BH42SH 33 -1334 PL-11	BIPOLAR	11 kg-cm	1.1 Nm	4055	3855	3735	3625
227	85011012	1149	17	BH 42 SH 38 - 1684 PL-18	BIPOLAR	18 kg-cm	1.8 Nm	4170	3970	3845	3730
228	85011012	1150	17	BH 42 SH 47 - 1704 PL-22	BIPOLAR	22 kg-cm	2.2 Nm	4305	4110	4000	3890
229	85011012	1151	17	BH 42 SH 60 - 0854 PL-46	BIPOLAR	46 kg-cm	4.6 Nm	5040	4785	4640	4500
230	85011012	1152	23	BH 57 SH 41 - 2804 PL	BIPOLAR	21 kg-cm	2.1 Nm	5485	5215	5060	4905
231	85011012	1153	23	BH 57 SH 51 - 2804 PL	BIPOLAR	40 kg-cm	4.0 Nm	5575	5320	5170	5040
232	85011012	1754	23	BH 57 SH 76 - 2804 PL	BIPOLAR	72 kg-cm	7.2 Nm	5820	5535	5365	5205
233	85011012	1155	34	BH 86 SH 65 - 6004 PL	BIPOLAR	150 kg-cm	15.0 Nm	21815	21145	20770	20670
234	85011012	1156	34	BH 86 SH 80 -5504 PL	BIPOLAR	200 kg-cm	20.0 Nm	23205	22515	21840	21245
235	85011012	1157	34	BH 86 SH 96-5504 PL	BIPOLAR	315 kg-cm	31.5 Nm	24955	24210	23480	22785
236	85011012	1158	34	BH86 SH 118-6004 PL	BIPOLAR	400 kg-cm	40.0 Nm	25510	24745	24005	23290
237	85011012	1159	34	BH86 SH 156-6004 PL	BIPOLAR	600 kg-cm	60.0 Nm	28630	27785	26955	26145
238	85011012	1160	34	BH86 SH 118-6004 PL-10	BIPOLAR	850 kg-cm	85.0 Nm	34025	33260	32520	31805
239	85013112	1161	34	BH86 SH 156-6004 PL-10	BIPOLAR	1250 kg-cm	125.0 Nm	37190	35340	34405	33845
240	85013112	2145	34	BH86 SH 96-5504 PL-20	BIPOLAR	1400 kg-cm	140.0 Nm	37690	35805	34865	34300
241	85013112	2146	34	BH86 SH 118-6004 PL-20	BIPOLAR	1700 kg-cm	170.0 Nm	38040	36140	35190	34615
242	85013112	1162	34	BH86 SH 156-6204 PL-10	BIPOLAR	1800 kg-cm	180.0 Nm	38200	36300	35335	34765
243	85013112	2147	34	BH86 SH 156-6004 PL-20	BIPOLAR	2500 kg-cm	250.0 Nm	38350	36435	35475	34900
244	85013112	2148	34	BH86 SH 156-6204 PL-20	BIPOLAR	3600 kg-cm	360.0 Nm	38600	36670	35705	35125
245	85013112	2149	34	BH86 SH 118-6004 PL-10C	BIPOLAR	8700 kg-cm	870.0 Nm	39050	37100	36120	35535
246	85013112	1163	34	BH86 SH 156-6004 PL-10C	BIPOLAR	12800 kg-cm	1280.0 Nm	39200	37240	36260	35675
247	85013112	1164	34	BH86 SH 156-6204 PL-10C	BIPOLAR	18000 kg-cm	1800.0 Nm	41160	39200	38220	37630

CAPTIVE LEAD SCREW STEPPER MOTORS (includes 250/300/450 mm Lead Screw)

NON - CAPTIVE LEAD SCREW STEPPER MOTORS (Includes 200 mm Lead Screw Shaft)											
SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE BIPOLAR MOTOR PART NO	PITCH	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH 1- 3 nos	PRICE EACH 4 - 7 nos	PRICE EACH 8 - 10 nos	PRICE EACH > 10 nos
330	85011012	1222	17	BH42SH33-1334 LA-NC-M6X1	M6 x 1	2.2 kg-cm	0.22 Nm	5735	5460	5205	5000
331	85011012	1223	17	BH42SH33-1334 LA-NC-T6X2	T6 x 2	2.2 kg-cm	0.22 Nm	6180	5885	5610	5385
332	85011012	1224	17	BH42SH33-1334 LA-NC-TR8x8	TR 8 x 8	2.2 kg-cm	0.22 Nm	7110	6770	6455	6205
333	85011012	1225	17	BH42SH38-1684 LA-NC-M6X1	M6 x 1	3.6 kg-cm	0.36 Nm	6265	5965	5690	5465
334	85011012	1226	17	BH42SH38-1684 LA-NC-T6X2	T6 x 2	3.6 kg-cm	0.36 Nm	6710	6390	6090	5855
335	85011012	1227	17	BH42SH38-1684 LA-NC-TR8x8	TR 8 x 8	3.6 kg-cm	0.36 Nm	7645	7280	6940	6665
336	85011012	1228	17	BH42SH47-1704 LA-NC-M6X1	M6 x 1	4.4 kg-cm	0.44 Nm	6800	6475	6175	5930
337	85011012	1229	17	BH42SH47-1704 LA-NC-T6X2	T6 x 2	4.4 kg-cm	0.44 Nm	7245	6900	6580	6315
338	85011012	1230	17	BH42SH47-1704 LA-NC-TR8x8	TR 8 x 8	4.4 kg-cm	0.44 Nm	8180	7785	7420	7135
339	85011012	1231	17	BH42SH47-1504 LA-NC-M6X1	M6 x 1	5.5 kg-cm	0.55 Nm	7245	6900	6580	6315
340	85011012	1232	17	BH42SH47-1504 LA-NC-T6X2	T6 x 2	5.5 kg-cm	0.55 Nm	7690	7320	6980	6705
341	85011012	1233	17	BH42SH47-1504 LA-NC-TR8x8	TR 8 x 8	5.5 kg-cm	0.55 Nm	8620	8210	7825	7520
342	85011012	1234	17	BH42SH60-0854 LA-NC-M6X1	M6 x 1	9.0 Kg-cm	0.9 Nm	7690	7320	6980	6705
343	85011012	1235	17	BH42SH60-0854 LA-NC-T6X2	T6 x 2	9.0 Kg-cm	0.9 Nm	8135	7740	7380	7095
344	85011012	1236	17	BH42SH60-0854 LA-NC-TR8x8	TR 8 x 8	9.0 Kg-cm	0.9 Nm	9065	8630	8230	7905
345	85011012	1237	23	BH57SH51-2804 LA-NC-M10X1.5	M10 x 1.5	10.1 Kg-cm	1.01 Nm	8135	7740	7380	7095
346	85011012	1238	23	BH57SH51-2804 LA-NC-M10X2	M10 x 2	10.1 Kg-cm	1.01 Nm	8580	8170	7785	7480
347	85011012	1239	23	BH57SH51-2804 LA-NC-TR8x8	TR 8 x 8	10.1 Kg-cm	1.01 Nm	9510	9055	8630	8295
348	85011012	1240	23	BH57SH76-2804 LA-NC-M10X1.5	M10 x 1.5	18.9 Kg-cm	1.89 Nm	8580	8170	7785	7480
349	85011012	1241	23	BH57SH76-2804 LA-NC-M10X2	M10 x 2	18.9 Kg-cm	1.89 Nm	9020	8585	8185	7865
350	85011012	1242	23	BH57SH76-2804 LA-NC-TR8x8	TR 8 x 8	18.9 Kg-cm	1.89 Nm	9955	9475	9035	8680
351	85011012	1243	24	BH60SH86-4004 LA-NC-M10X1.5	M10 x 1.5	31 Kg-cm	3.1 Nm	9290	9010	8825	8455
352	85011012	1244	24	BH60SH86-4004 LA-NC-M10X2	M10 x 2	31 Kg-cm	3.1 Nm	9735	9440	9245	8860
353	85011012	1245	24	BH60SH86-4004 LA-NC-TR8x8	TR 8 x 8	31 Kg-cm	3.1 Nm	10355	10045	9840	9420
354	85011012	1246	34	BH86SH96-5504 LA-NC-M10X2	M10 x 2	70 Kg-cm	7 Nm	13235	12845	12575	12055
355	85011012	1247	34	BH86SH96-5504 LA-NC-M14X2	M14 x 2	70 Kg-cm	7 Nm	14660	14220	13915	13340
356	85011012	1248	34	BH86SH118-6004 LA-NC-M10X2	M10 x 2	87 Kg-cm	8.7 Nm	18200	17655	17290	16565
357	85011012	1249	34	BH86SH118-6004 LA-NC-M14X2	M14 x 2	87 Kg-cm	8.7 Nm	19620	19020	18640	17860

ANTI-BACKLASH BRASS NUT

SR NO	HSN CODE	PRODUCT CODE NO	BORE THREAD SIZE	PART NO	PRICE EACH 1-4 nos	PRICE EACH 5-9 nos	PRICE EACH 10-25 nos	PRICE EACH > 25 nos
358	84669310	1250	M5.5 X 0.5	BH-ABN-M5.5X0.5	1060	1015	990	950
359	84669310	1251	M6 X 1	BH-ABN-M6X1	1060	1015	990	950
360	84669310	1252	TR6 X 2	BH-ABN-TR6X2	1190	1140	1115	1075
361	84669310	1253	M8 X 1.25	BH-ABN-M8X1.25	1310	1260	1225	1180
362	84669310	1254	M8 X 2	BH-ABN-M8X2	1310	1260	1225	1180
363	84669310	1255	TR 8X8	BH-ABN-TR 8X8	1350	1300	1260	1220
364	84669310	1256	M10 X 1.50	BH-ABN-M10X1.50	1980	1900	1855	1785
365	84669310	1257	M10 X 2	BH-ABN-M10X2	2110	2025	1975	1900
366	84669310	1258	M10 X 3	BH-ABN-M10X3	2110	2025	1975	1900
367	84669310	1259	M12 X 1.5	BH-ABN-M12X1.5	2430	2355	2310	2215
368	84669310	1260	M12 X 2	BH-ABN-M12X2	2430	2355	2310	2215
369	84669310	1261	M14 X 2	BH-ABN-M14X2	2755	2645	2580	2480
370	84669310	1262	M16 X 2	BH-ABN-M16X2	3305	3210	3140	3010
371	84669310	1263	M18 X 4	BH-ABN-M18X4	4355	4220	4140	3965
372	84669310	1264	M20 X 4	BH-ABN-M20X4	4890	4740	4645	4450

HOLLOW SHAFT STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE BIPOLAR MOTOR PART NO	SHAFT SPECIFICATION ID x OD (MM)	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH 1- 3 nos	PRICE EACH 4 - 7 nos	PRICE EACH 8 - 10 nos	PRICE EACH > 10 nos
373	85011012	1265	17	BH42SH33-0604-HS	2.8 X 5	1.58 Kg-cm	0.158 Nm	3510	3340	3185	3060
374	85011012	1266	17	BH42SH33-1334-HS	2.5 X 5	2.2 Kg-cm	0.22 Nm	3510	3340	3185	3060
375	85011012	1267	17	BH42SH38-1684-HS	8.3 X 10	3.6 kg-cm	0.36 Nm	4400	4185	3995	3835
376	85011012	1268	23	BH57SH51-2804-HS	10.3 X 12	10.1 Kg-cm	1.01 Nm	5290	5035	4800	4615
377	85011012	1269	23	BH57SH56-2004-HS	3.4 X 6.5	12.6 Kg-cm	1.26 Nm	6180	5880	5610	5385
378	85011012	1270	24	BH60SH86-4004-HS	8 X 12	31 Kg-cm	3.1 Nm	8445	8190	8020	7685
379	85011012	1271	34	BH86SH80-5504-HS	12 X 15	46 kg-cm	4.6 Nm	11110	10780	10555	10110
380	85011012	1272	34	BH86SH96-5504-HS	12 X 15	70 Kg-cm	7 Nm	12000	11640	11400	10920
381	85011012	1273	34	BH86SH118-6004-HS	12 X 15	87 Kg-cm	8.7 Nm	12310	11940	11700	11200
382	85013112	1274	34	BH86SH156-6004-HS	12 X 15	128 Kg-cm	12.8 Nm	12490	12115	11865	11365
383	85013112	1275	34	BH86SH156-6204-HS	12 X 15	180 Kg-cm	18 Nm	15155	14700	14400	13790
384	85013112	1701	42	BH110SH150-6504HS	15 X 19	220 kg-cm	22 Nm	16180	15395	15095	14735
385	85013112	1702	42	BH110SH201-8004HS	15 X 19	300 kg-cm	30 Nm	20225	19215	18765	18375

STEPPER MOTORS WITH TIMING PULLEY

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOlar/BIPOlar	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH 1-10nos	PRICE EACH 11 - 49 nos	PRICE EACH 50 - 99 nos	PRICE EACH > 100 nos
386	85011012	1276	17	BH 42 SH 47 - 1004 A WITH TIMING PULLEY	BIPOlar	4.2 kg-cm	0.42 Nm	1130	1080	1050	1020
387	85011012	1277	23	BH 57 SH 56 - 2004 A WITH TIMING PULLEY	BIPOlar	12.6 Kg-cm	1.26 Nm	1785	1655	1570	1490

ROUND FRAME MOTORS

SR	HSN	PRODUCT	NEMA	ROUND MOTOR	UNIPOLAR/	HOLDING TORQUE	HOLDING TORQUE	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
NO	CODE	CODE NO		PART NO	BIPOLAR	KG-CM	Nm	MOQ 10 nos	11 - 49 nos	50 - 99 nos	> 100 nos
388	85011012	1278	23	BH56SH41-2804A	BIPOLAR	5.5 kg-cm	0.55 Nm	2985	2765	2630	2490
389	85011012	1279	23	BH56SH56-2804A	BIPOLAR	12.6 Kg-cm	1.26 Nm	3545	3290	3120	2970
390	85011012	1280	23	BH56SH81-2804A	BIPOLAR	22.0 kg-cm	2.2 Nm	5865	5420	5155	4890

NOTE FOR ABOVE STEPPER MOTOR MODELS :

1. TYBE B SHAFTS IN NEMA 17, 23, 24, & 34 ARE AVAILABLE ON ORDER AND THE RATE WILL BE 10 % MORE. THE MINIMUM ORDER QUANTITY IS 10 NOS
2. TYBE B SHAFTS IN CAPTIVE LINEAR ACTUATOR STEPPER MOTORS ARE AVAILABLE ON ORDER AND THE RATE WILL BE 20 % MORE
3. IN NON-CAPTIVE LINEAR ACTUATOR STEPPER MOTORS STANDARD LEAD SCREW SHAFT LENGTH IS 200 MM
CUSTOMIZED LEAD SCREW SHAFT LENGTH UPTO 1500 MM IS AVAILABLE ON ORDER
4. IN CAPTIVE LINEAR ACTUATOR STEPPER MOTORS STANDARD LEAD SCREW SHAFT LENGTH IS 250/300/450 MM
5. IN CAPTIVE LINEAR ACTUATOR BALL SCREW STEPPER MOTORS STANDARD SHAFT LENGTH IS 300 MM. AVAILABLE ON ORDER UPTO 2/3 METERS
6. STANDARD WIRE LENGTH IS 300 MM, FOR EXTRA LENGTH OF WIRE THE RATE WILL BE 10 % MORE
7. FOR FLAT MILLING (D TYPE) IS AVAILABLE ON ORDER AND THE RATE WILL BE 5 % MORE
8. FOR ANY OTHER CHANGES IN THE SHAFT THE MINIMUM ORDER QUANTITY IS 10 NOS
9. COMMUNICATION CABLE FOR SMART MODBUS DRIVES COST EXTRA.

Terms and conditions :



1. Courier Charges extra @ Actuals on which GST is applicable.
2. Payment terms: 100% along with the order against Proforma invoice.
3. Delivery Period: Exstock 3-4 days and For items not in stock 2 weeks from the date of receipt of payment.
4. Cancellation charges: 80% of confirmed order value.



Bholanath Precision Engineering Pvt. Ltd.
 Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.
 Email - support@bholanath.in / nisha.k@bholanath.in
 Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 982167173:
 Website - www.bholanath.in
 GST No - 27AACCB6076G1ZN

Date - February 2019

BHOLANATH STEP - SERVO MOTOR PRICE LIST
 IP 60 Closed Loop Stepping System which includes High Speed Stepper Motors
 With Incremental Optical Encoders(1000/2500 PPR), Digital Drives and 3 Metre Cables

SR NO	HSN	PRODUCT	STEP - SERVO MOTOR SET NO	TORQUE - Nm	RPM	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
	CODE	CODE NO							
1	85011012	1281	BHSS-25W-5-1000-3MTR-IP60-N	0.7 - 0.13 Nm	0 - 1500	15555	14780	14400	14155
2	85011012	1282	BHSS - 50 W-5-1000-3MTR-IP60-N	2.1 - 0.16 Nm	0 - 2000	16890	16045	15620	15370
3	85011012	1283	BHSS - 100 W-5-1000-3MTR-IP60-N	2.7 - 0.28 Nm	0 - 2000	17335	16465	16045	15775
4	85011012	1284	BHSS - 200 W-5-1000-3MTR-IP60-N	3.1 - 0.32 Nm	0 - 1100	17780	17110	16445	16180
5	85011012	1285	BHSS - 200 W-HT-5-1000-3MTR-IP60-N	3.4 - 0.64 Nm	0 - 2000	18220	17310	16865	16580
6	85011012	1286	BHSS - 400 W-5-1000-3MTR-IP60-N	4 - 1.27 Nm	0 - 2000	18845	17900	17430	17150
7	85011012	1287	BHSS - 600 W-5-1000-3MTR-IP60-N	6.8 - 1.9 Nm	0 - 1500	20445	19420	18910	18605
8	85011012	1288	BHSS - 750 W-5-1000-3MTR-IP60-N	8.70 - 2.39 Nm	0 - 2000	21110	20060	19530	19210
9	85011012	1289	BHSS - 1000 W-5-1000-3MTR-IP60-N	9.19 - 4.77 Nm	0 - 1500	29005	27555	26820	26395
10	85013112	1290	BHSS - 1500 W-5-1000-3MTR-IP60-N	18 - 7.16 Nm	0 - 1200	36620	34860	33230	31935

BHOLANATH IP 65 / 68 / FLP (FLAME PROOF) STEP - SERVO MOTOR PRICE LIST
 IP 65 / 68 / FLP Closed Loop Stepping System which includes High Speed Stepper Motors
 With Incremental Optical Encoders(1000/2500 PPR), Digital Drives and 3 Metre Cables

SR NO	HSN	PRODUCT	STEP - SERVO MOTOR SET NO	TORQUE - Nm	RPM	PRICE EACH
	CODE	CODE NO				
11	85011012	1583	BHSS-25W-5-1000-3MTR-IP65-N	0.7 - 0.13 Nm	0 - 1500	19345
12	85011012	1584	BHSS-25W-5-1000-3MTR-IP68-N	0.7 - 0.13 Nm	0 - 1500	21870
13	85011012	1585	BHSS-25W-5-1000-3MTR-FLP-N	0.7 - 0.13 Nm	0 - 1500	24395
14	85011012	1586	BHSS - 50 W-5-1000-3MTR-IP65-N	2.1 - 0.16 Nm	0 - 2000	21210
15	85011012	1587	BHSS - 50 W-5-1000-3MTR-IP68-N	2.1 - 0.16 Nm	0 - 2000	23665
16	85011012	1588	BHSS - 50 W-5-1000-3MTR-FLP-N	2.1 - 0.16 Nm	0 - 2000	29405
17	85011012	1589	BHSS - 100 W-5-1000-3MTR-IP65-N	2.7 - 0.28 Nm	0 - 2000	22310
18	85011012	1590	BHSS - 100 W-5-1000-3MTR-IP68-N	2.7 - 0.28 Nm	0 - 2000	24765
19	85011012	1591	BHSS - 100 W-5-1000-3MTR-FLP-N	2.7 - 0.28 Nm	0 - 2000	30505
20	85011012	1592	BHSS - 200 W-5-1000-3MTR-IP65-N	3.1 - 0.32 Nm	0 - 1100	23310
21	85011012	1593	BHSS - 200 W-5-1000-3MTR-IP68-N	3.1 - 0.32 Nm	0 - 1100	25765
22	85011012	1594	BHSS - 200 W-5-1000-3MTR-FLP-N	3.1 - 0.32 Nm	0 - 1100	31805
23	85011012	1595	BHSS - 200 W-HT-5-1000-3MTR-IP65-N	3.4 - 0.64 Nm	0 - 2000	24580
24	85011012	1596	BHSS - 200 W-HT-5-1000-3MTR-IP68-N	3.4 - 0.64 Nm	0 - 2000	27565
25	85011012	1597	BHSS - 200 W-HT-5-1000-3MTR-FLP-N	3.4 - 0.64 Nm	0 - 2000	34535
26	85011012	1598	BHSS - 400 W-5-1000-3MTR-IP65-N	4 - 1.27 Nm	0 - 2000	25205
27	85011012	1599	BHSS - 400 W-5-1000-3MTR-IP68-N	4 - 1.27 Nm	0 - 2000	28190
28	85011012	1600	BHSS - 400 W-5-1000-3MTR-FLP-N	4 - 1.27 Nm	0 - 2000	35130
29	85011012	1601	BHSS - 600 W-5-1000-3MTR-IP65-N	6.8 - 1.9 Nm	0 - 1500	28750
30	85011012	1602	BHSS - 600 W-5-1000-3MTR-IP68-N	6.8 - 1.9 Nm	0 - 1500	32480
31	85011012	1603	BHSS - 600 W-5-1000-3MTR-FLP-N	6.8 - 1.9 Nm	0 - 1500	40350
32	85011012	1604	BHSS - 750 W-5-1000-3MTR-IP65-N	8.70 - 2.39 Nm	0 - 2000	32015
33	85011012	1605	BHSS - 750 W-5-1000-3MTR-IP68-N	8.70 - 2.39 Nm	0 - 2000	37105
34	85011012	1606	BHSS - 750 W-5-1000-3MTR-FLP-N	8.70 - 2.39 Nm	0 - 2000	46985
35	85011012	1607	BHSS - 1000 W-5-1000-3MTR-IP65-N	9.19 - 4.77 Nm	0 - 1500	35910
36	85011012	1608	BHSS - 1000 W-5-1000-3MTR-IP68-N	9.19 - 4.77 Nm	0 - 1500	41000
37	85011012	1609	BHSS - 1000 W-5-1000-3MTR-FLP-N	9.19 - 4.77 Nm	0 - 1500	51880
38	85011012	1610	BHSS - 1500 W-5-1000-3MTR-IP65-N	18 - 7.16 Nm	0 - 1200	42805
39	85011012	1611	BHSS - 1500 W-5-1000-3MTR-IP68-N	18 - 7.16 Nm	0 - 1200	49195
40	85011012	1612	BHSS - 1500 W-5-1000-3MTR-FLP-N	18 - 7.16 Nm	0 - 1200	60945

STEP SERVO DRIVER CONTROLLER

SR NO	HSN	PRODUCT	Controller Model	Controller Type	HMI	Input Power Supply	External Inputs &	PRICE EACH	PRICE EACH	PRICE EACH
	CODE	CODE NO								
41	85030090	1922	BH-SDC-01N	Single motor	16x2 LCD Colour display	85-265 V ACDC	4 Each	6000	5800	5500
42	85030090	1923	BH-SDC-02N	Two motors	16x2 LCD Colour display	85-265 V ACDC	4 Each	9000	8800	8500

TRANSFORMERS (POWER SUPPLY)

SR NO	HSN	PRODUCT	Transformer Model	Input Output Voltage	Current Capacity	Suitable For	PRICE EACH	PRICE EACH	PRICE EACH
	CODE	CODE NO							
43	85030090	1800	BH-36 Volts DC (Toroidal)	INPUT : 230 VAC OUTPUT : 36 VDC	6 Amps	25 W STEP SERVO	4000	3800	3600
44	85030090	1094	BH-48 Volts DC (Toroidal)	INPUT : 230 VAC OUTPUT : 48 VDC	4.5 Amps	50 W STEP SERVO	4900	4700	4500
45	85030090	1412	BH-48 Volts DC X 2	INPUT : 230 VAC OUTPUT : 48 VDC X 2	9 Amps	100 W STEP SERVO 200 W STEP SERVO	6400	6200	6000
46	85030090	1356	BH-48 Volts DC X 3	INPUT : 230 VAC OUTPUT : 48 VDC X 3	13.5 Amps		7500	7300	7100
47	85030090	1801	BH-75 Volts AC (Toroidal)	INPUT : 230 VAC OUTPUT : 75 VAC	6 Amps	200 W HT STEP SERVO 400 W STEP SERVO 600 W STEP SERVO 750 W STEP SERVO 1000 W STEP SERVO 1500 W STEP SERVO 2000 W STEP SERVO 2500 W STEP SERVO	5700	5500	5300
48	85030090	1802	BH-75 Volts AC X 2	INPUT : 230 VAC OUTPUT : 75 VAC X 2	12 Amps		8600	8400	8200
49	85030090	1803	BH-75 Volts AC X 3	INPUT : 230 VAC OUTPUT : 75 VAC X 3	18 Amps		10730	10530	10330

STEP SERVO MOTOR MOUNTING BRACKET									
SR NO	HSN CODE	PRODUCT CODE NO	MB MODEL NO	NEMA SIZE	PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH	
					1- 5 nos	6 - 10 nos	11 - 25 nos	> 25 nos	
50	84669310	1097	BH42-MB	NEMA 17(42MM) MOUNTING BRACKET	260	250	240	225	
51	84669310	1101	BH60-MB	NEMA 24(60MM) MOUNTING BRACKET	440	425	420	405	
52	84669310	1102	BH86-MB	NEMA 34(86MM) MOUNTING BRACKET	795	775	745	720	
53	84669310	1104	BH110-MB	NEMA 42(110MM) MOUNTING BRACKET	1585	1545	1515	1480	

RIGID COUPLINGS										
SR NO	HSN CODE	PRODUCT CODE NO	RC MODEL NO	NEMA SIZE	BORE SIZE IN MM		PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
					A - MOTOR END	B	1- 5 nos	6 - 10 nos	11 - 25 nos	> 25 nos
54	84669310	1105	BH42-RC-5X5	NEMA 17 (42 MM)	5	5	515	490	470	445
55	84669310	1106	BH42-RC-5X6.35	NEMA 17 (42 MM)	5	6.35	515	490	470	445
56	84669310	1107	BH42-RC-5X8	NEMA 17 (42 MM)	5	8	515	490	470	445
57	84669310	1111	BH57-RC-10X10	NEMA 23 (57 MM)	10	10	755	730	695	665
58	84669310	1118	BH86-RC14X14	NEMA 34 (86 MM)	14	14	1955	1860	1810	1780
59	84669310	1119	BH110-RC-19X19	NEMA 42 (110 MM)	19	19	1955	1860	1810	1780

JAW COUPLINGS (CLAMP TYPE)										
SR NO	HSN CODE	PRODUCT CODE NO	RC MODEL NO	NEMA SIZE	BORE SIZE IN MM		PRICE EACH	PRICE EACH	PRICE EACH	PRICE EACH
					A - MOTOR END	B	1- 5 nos	6 - 10 nos	11 - 25 nos	> 25 nos
60	84669310	1501	BH42-JC-5X5	NEMA 17 (42 MM)	5	5	425	400	380	360
61	84669310	1502	BH42-JC-5X6.35	NEMA 17 (42 MM)	5	6.35	425	400	380	360
62	84669310	1503	BH42-JC-5X8	NEMA 17 (42 MM)	5	8	425	400	380	360
63	84669310	1507	BH57-JC-10X10	NEMA 23 (57 MM)	10	10	560	530	510	490
64	84669310	1515	BH86-JC14X14	NEMA 34 (86 MM)	14	14	1450	1375	1350	1325
65	84669310	1516	BH110-JC-19X19	NEMA 42 (110 MM)	19	19	1450	1375	1350	1325

NOTE FOR ABOVE STEP-SERVO MOTOR MODELS :

- 2500 PPR ENCODER OPTION AVAILABLE ON ORDER.
- ELECTRO MAGNETIC BRAKE STEP-SERVO MOTORS ARE AVAILABLE ON ORDER.
- PLANETARY GEARED STEP-SERVO MOTORS ARE AVAILABLE ON ORDER.
- CUSTOMIZED CABLE LENGTH AVAILABLE ON ORDER.
- IP 65/ IP 68 / FLAMEPROOF STEP-SERVO MOTORS ARE AVAILABLE ON ORDER.

Terms and conditions :

- Freight extra @ Actuals on which GST is applicable.
- Payment terms: 100% along with the order against Proforma invoice.
- Delivery Period: Exstock 3-4 days and For items not in stock 2 weeks from the date of receipt of payment.
- Cancellation charges: 80% of confirmed order value.
- GST extra @ 18%. Please provide GST No. with P.O.
- Warranty: 1 year from the date of Invoice against manufacturing defects.
- Validity: 30 days from date.

- BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate Sonapur Lane, Bhandup West, Mumbai - ,400078
Bank name - Kotak Mahindra Bank
Bank account no - 0911421529 (CA)
Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
IFCS CODE - KKBK000642
MICR CODE - 400485006





Date - February 2019

BHOLANATH IP 65 STEPPER MOTOR PRICE LIST

NEMA 17 (42MM) IP 65 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
1	85011012	1291	17	BH42SH33-1334A - IP 65	BIPOLAR	2.2 kg-cm	0.22 Nm	3380
2	85011012	1398	17	BH42SH33-0404A - IP 65	BIPOLAR	2.6 kg-cm	0.26 Nm	3560
3	85011012	1292	17	BH42SH38-1684A - IP 65	BIPOLAR	3.6 kg-cm	0.36 Nm	3735
4	85011012	1293	17	BH42SH40-1204AF - IP 65	BIPOLAR	4 kg-cm	0.4 Nm	3820
5	85011012	1294	17	BH42SH40-1704AF - IP 65	BIPOLAR	4.5 kg-cm	0.45 Nm	3910
6	85011012	1399	17	BH42SH47-1004A - IP 65	BIPOLAR	4.2 kg-cm	0.42 Nm	3990
7	85011012	1295	17	BH42SH47-1704AF - IP 65	BIPOLAR	4.4 kg-cm	0.44 Nm	4065
8	85011012	1296	17	BH42SH47-1504AF - IP 65	BIPOLAR	5.5 kg-cm	0.55 Nm	4400
9	85011012	1297	17	BH42SH60-0854A - IP 65	BIPOLAR	9.0 kg-cm	0.9 Nm	5050

NEMA 23 (57MM) IP 65 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
10	85011012	2083	23	BH57SH41-2804A - IP 65	BIPOLAR	5.5 Kg-cm	0.55 Nm	4170
11	85011012	1298	23	BH57SH51-1006A - IP 65	UNIPOLAR	7.2 Kg-cm	0.72 Nm	4420
12	85011012	1299	23	BH57SH51-2804A - IP 65	BIPOLAR	10.1 Kg-cm	1.01 Nm	4635
13	85011012	1300	23	BH57SH56-2004A - IP 65	BIPOLAR	12.6 Kg-cm	1.26 Nm	4970
14	85011012	1301	23	BH57SH56-2804A - IP 65	BIPOLAR	12.6 Kg-cm	1.26 Nm	4970
15	85011012	1302	23	BH57SH76 -2804A - IP 65	BIPOLAR	18.9 Kg-cm	1.89 Nm	6240
16	85011012	1303	23	BH57SH81-2804A - IP 65	BIPOLAR	22.0 kg-cm	2.2 Nm	8195
17	85011012	1304	23	BH57SH81-4004A - IP 65	BIPOLAR	22.0 kg-cm	2.2 Nm	8665
18	85011012	1305	23	BH57SH100-3004A - IP 65	BIPOLAR	25 kg-cm	2.5 Nm	10480

NEMA 24 (60MM) IP 65 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
19	85011012	1306	24	BH60SH65-2804AF - IP 65	BIPOLAR	21.0 Kg-cm	2.1 Nm	8195
20	85011012	1307	24	BH60SH86-2804AF - IP 65	BIPOLAR	31.0 Kg-cm	3.1 Nm	10775

NEMA 34 (86MM - S) IP 65 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
21	85011012	1308	34	BH86SH65-2004AKS - IP 65	BIPOLAR	27.4 kg-cm	2.74 Nm	11025
22	85011012	1309	34	BH86SH65-4104AKS - IP 65	BIPOLAR	27.4 kg-cm	2.74 Nm	11025
23	85011012	1310	34	BH86SH65-6004AKS - IP 65	BIPOLAR	27.4 kg-cm	2.74 Nm	11025
24	85011012	1311	34	BH86SH80-2004AKS - IP 65	BIPOLAR	50.9 kg-cm	5.09 Nm	13020
25	85011012	1312	34	BH86SH80-4104AKS - IP 65	BIPOLAR	50.9 kg-cm	5.09 Nm	13020
26	85011012	1313	34	BH86SH80-5504AKS - IP 65	BIPOLAR	50.9 kg-cm	5.09 Nm	13020
27	85011012	1314	34	BH86SH96-2004AKS - IP 65	BIPOLAR	74.4 kg-cm	7.44 Nm	15600
28	85011012	1315	34	BH86SH96-4004AKS - IP 65	BIPOLAR	74.4 kg-cm	7.44 Nm	15600
29	85011012	1316	34	BH86SH96-5504AKS - IP 65	BIPOLAR	74.4 kg-cm	7.44 Nm	15600
30	85011012	1317	34	BH86SH118-4004AKS - IP 65	BIPOLAR	91.9 kg-cm	9.19 Nm	16970
31	85011012	1318	34	BH86SH118-6004AKS - IP 65	BIPOLAR	91.9 kg-cm	9.19 Nm	16970
32	85013112	1319	34	BH86SH156-6004AKS - IP 65	BIPOLAR	133 kg-cm	13.3 Nm	19600
33	85013112	1320	34	BH86SH156-6204AKS - IP 65	BIPOLAR	175.5 kg-cm	17.55 Nm	24640

NOTE FOR ABOVE IP 65 STEPPER MOTOR MODELS :

1. TYBE B SHAFTS IN NEMA 17, 23, 24, & 34 ARE AVAILABLE ON ORDER AND THE RATE WILL BE 10 % MORE
2. STANDARD WIRE LENGTH IS 1 MTR, FOR EXTRA LENGTH OF WIRE THE RATE WILL BE 10 % MORE.
3. FOR FLAT MILLING (D TYPE) IS AVAILABLE ON ORDER AND THE RATE WILL BE 5 % MORE.
4. FOR ANY OTHER CHANGES IN THE SHAFT THE MINIMUM MOQ WILL BE 10 NOS.



Terms and conditions :

1. Freight extra @ Actuals on which GST is applicable.
2. Payment terms: 100% along with the order against Proforma invoice.
3. Delivery Period: 1 - 2 weeks from the date of receipt of payment
4. Cancellation charges: 80% of confirmed order value.
5. GST extra @ 18%. Please provide GST No. with P.O.
6. Warranty: 1 year from the date of Invoice against manufacturing defects
7. Validity: 30 days from date.
8. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate Sonapur Lane, Bhandup West, Mumbai - ,400078
 Bank name - Kotak Mahindra Bank
 Bank account no - 0911421529 (CA)
 Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
 IFCS CODE - KKBK0000642
 MICR CODE - 400485006



Bholanath Precision Engineering Pvt. Ltd.
 Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.
 Email - support@bholanath.in / nisha.k@bholanath.in
 Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733
 Website - www.bholanath.in
 GST No - 27AACCB6076G1ZLN

Date - February 2019

BHOLANATH IP 68 STEPPER MOTOR PRICE LIST

NEMA 17 (42MM) IP 68 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
1	85011012	1613	17	BH42SH33-1334A - IP 68	BIPOLAR	2.2 kg-cm	0.22 Nm	5070
2	85011012	2084	17	BH42SH33-0404A - IP 68	BIPOLAR	2.6 kg-cm	0.26 Nm	5335
3	85011012	1614	17	BH42SH38-1684A - IP 68	BIPOLAR	3.6 kg-cm	0.36 Nm	5600
4	85011012	1615	17	BH42SH40-1204AF - IP 68	BIPOLAR	4 kg-cm	0.4 Nm	5730
5	85011012	1616	17	BH42SH40-1704AF - IP 68	BIPOLAR	4.5 kg-cm	0.45 Nm	5865
6	85011012	2085	17	BH42SH47-1004A - IP 68	BIPOLAR	4.2 kg-cm	0.42 Nm	5985
7	85011012	1617	17	BH42SH47-1704AF - IP 68	BIPOLAR	4.4 kg-cm	0.44 Nm	6100
8	85011012	1618	17	BH42SH47-1504AF - IP 68	BIPOLAR	5.5 kg-cm	0.55 Nm	6600
9	85011012	1619	17	BH42SH60-0854A - IP 68	BIPOLAR	9.0 Kg-cm	0.9 Nm	7575

NEMA 23 (57MM) IP 68 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
10	85011012	2086	23	BH57SH41-2804A - IP 68	BIPOLAR	5.5 Kg-cm	0.55 Nm	5940
11	85011012	1620	23	BH57SH51-1006A - IP 68	UNIPOLAR	7.2 kg-cm	0.72 Nm	6190
12	85011012	1621	23	BH57SH51-2804A - IP 68	BIPOLAR	10.1 Kg-cm	1.01 Nm	6490
13	85011012	1622	23	BH57SH56-2004A - IP 68	BIPOLAR	12.6 Kg-cm	1.26 Nm	6960
14	85011012	1623	23	BH57SH56-2804A - IP 68	BIPOLAR	12.6 kg-cm	1.26 Nm	6960
15	85011012	1624	23	BH57SH76-2804A - IP 68	BIPOLAR	18.9 Kg-cm	1.89 Nm	8740
16	85011012	1625	23	BH57SH81-2804A - IP 68	BIPOLAR	22.0 kg-cm	2.2 Nm	10650
17	85011012	1626	23	BH57SH81-4004A - IP 68	BIPOLAR	22.0 kg-cm	2.2 Nm	11265
18	85011012	1627	23	BH57SH100-3004A - IP 68	BIPOLAR	25 kg-cm	2.5 Nm	13950

NEMA 24 (60MM) IP 68 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
19	85011012	1628	24	BH60SH65-2804AF - IP 68	BIPOLAR	21.0 Kg-cm	2.1 Nm	10650
20	85011012	1629	24	BH60SH86-2804AF - IP 68	BIPOLAR	31.0 Kg-cm	3.1 Nm	14010

NEMA 34 (86MM - S) IP 68 STEPPER MOTORS

SR NO	HSN CODE	PRODUCT CODE NO	NEMA	SQUARE MOTOR PART NO	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
21	85011012	1630	34	BH86SH65-2004AKS - IP 68	BIPOLAR	27.4 kg-cm	2.74 Nm	14450
22	85011012	1631	34	BH86SH65-4104AKS - IP 68	BIPOLAR	27.4 kg-cm	2.74 Nm	14450
23	85011012	1632	34	BH86SH65-6004AKS - IP 68	BIPOLAR	27.4 kg-cm	2.74 Nm	14450
24	85011012	1633	34	BH86SH80-2004AKS - IP 68	BIPOLAR	50.9 kg-cm	5.09 Nm	16930
25	85011012	1634	34	BH86SH80-4104AKS - IP 68	BIPOLAR	50.9 kg-cm	5.09 Nm	16930
26	85011012	1635	34	BH86SH80-5504AKS - IP 68	BIPOLAR	50.9 kg-cm	5.09 Nm	16930
27	85011012	1636	34	BH86SH96-2004AKS - IP 68	BIPOLAR	74.4 kg-cm	7.44 Nm	20280
28	85011012	1637	34	BH86SH96-4004AKS - IP 68	BIPOLAR	74.4 kg-cm	7.44 Nm	20280
29	85011012	1638	34	BH86SH96-5504AKS - IP 68	BIPOLAR	74.4 kg-cm	7.44 Nm	20280
30	85011012	1639	34	BH86SH118-4004AKS - IP 68	BIPOLAR	91.9 kg-cm	9.19 Nm	22060
31	85011012	1640	34	BH86SH118-6004AKS - IP 68	BIPOLAR	91.9 kg-cm	9.19 Nm	22060
32	85013112	1641	34	BH86SH156-6004AKS - IP 68	BIPOLAR	133 kg-cm	13.3 Nm	25480
33	85013112	1642	34	BH86SH156-6204AKS - IP 68	BIPOLAR	175.5 kg-cm	17.55 Nm	32030

NOTE FOR ABOVE IP 68 STEPPER MOTOR MODELS :

1. TYPE B SHAFTS IN NEMA 17, 23, 24, & 34 ARE AVAILABLE ON ORDER AND THE RATE WILL BE 10 % MORE.
2. STANDARD WIRE LENGTH IS 1 MTR, FOR EXTRA LENGTH OF WIRE THE RATE WILL BE 10 % MORE.
3. FOR FLAT MILLING (D TYPE) IS AVAILABLE ON ORDER AND THE RATE WILL BE 5 % MORE.
4. FOR ANY OTHER CHANGES IN THE SHAFT THE MINIMUM MOQ WILL BE 10 NOS.



Terms and conditions :

1. Freight extra @ Actuals on which GST is applicable.
2. Payment terms: 100% along with the order against Proforma invoice.
3. Delivery Period: 1-2 weeks from the date of receipt of payment.
4. Cancellation charges: 80% of confirmed order value.
5. GST extra @ 18%. Please provide GST No. with P.O.
6. Warranty: 1 year from the date of Invoice against manufacturing defects.
7. Validity: 30 days from date.
8. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate Sonapur Lane, Bhandup West, Mumbai - ,400078
 Bank name - Kotak Mahindra Bank
 Bank account no - 0911421529 (CA)
 Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
 IFCS CODE - KKBK0000642
 MICR CODE - 400485006



Bholanath Precision Engineering Pvt. Ltd.
 Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.
 Email - support@bholanath.in / nisha.k@bholanath.in
 Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733
 Website - www.bholanath.in
 GST No - 27AACCB6076G1ZN

Date - February 2019

BHOLANATH FLAME PROOF (FLP) STEPPER MOTOR PRICE LIST - GROUP A

NEMA 17 (42MM) FLP (FLAME PROOF) STEPPER MOTORS

SR	HSN	PRODUCT	NEMA	SQUARE MOTOR	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
NO	CODE	CODE NO		PART NO				
1	85011012	1643	17	BH42SH33-1334A - FLP	BIPOLAR	2.2 kg-cm	0.22 Nm	6760
2	85011012	2087	17	BH42SH33-0404A - FLP	BIPOLAR	2.6 kg-cm	0.26 Nm	7115
3	85011012	1644	17	BH42SH38-1684A - FLP	BIPOLAR	3.6 kg-cm	0.36 Nm	7470
4	85011012	1645	17	BH42SH40-1204AF - FLP	BIPOLAR	4 kg-cm	0.4 Nm	7640
5	85011012	1646	17	BH42SH40-1704AF - FLP	BIPOLAR	4.5 kg-cm	0.45 Nm	7820
6	85011012	2088	17	BH42SH47-1004A - FLP	BIPOLAR	4.2 kg-cm	0.42 Nm	7975
7	85011012	1647	17	BH42SH47-1704AF - FLP	BIPOLAR	4.4 kg-cm	0.44 Nm	8130
8	85011012	1648	17	BH42SH47-1504AF - FLP	BIPOLAR	5.5 kg-cm	0.55 Nm	8800
9	85011012	1649	17	BH42SH60-0854A - FLP	BIPOLAR	9.0 kg-cm	0.9 Nm	10100

NEMA 23 (57MM) FLP (FLAME PROOF) STEPPER MOTORS

SR	HSN	PRODUCT	NEMA	SQUARE MOTOR	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
NO	CODE	CODE NO		PART NO				
10	85011012	2089	23	BH57SH41-2804A - FLP	BIPOLAR	5.5 Kg-cm	0.55 Nm	8590
11	85011012	1650	23	BH57SH51-1006A - FLP	UNIPOLAR	7.2 Kg-cm	0.72 Nm	8840
12	85011012	1651	23	BH57SH51-2804A - FLP	BIPOLAR	10.1 Kg-cm	1.01 Nm	9270
13	85011012	1652	23	BH57SH56-2004A - FLP	BIPOLAR	12.6 Kg-cm	1.26 Nm	9940
14	85011012	1653	23	BH57SH56-2804A - FLP	BIPOLAR	12.6 Kg-cm	1.26 Nm	9940
15	85011012	1654	23	BH57SH76 -2804A - FLP	BIPOLAR	18.9 Kg-cm	1.89 Nm	12480
16	85011012	1655	23	BH57SH81-2804A - FLP	BIPOLAR	22.0 kg-cm	2.2 Nm	16390
17	85011012	1656	23	BH57SH81-4004A - FLP	BIPOLAR	22.0 kg-cm	2.2 Nm	17330
18	85011012	1657	23	BH57SH100-3004A - FLP	BIPOLAR	25 kg-cm	2.5 Nm	21500

NEMA 24 (60MM) FLP (FLAME PROOF) STEPPER MOTORS

SR	HSN	PRODUCT	NEMA	SQUARE MOTOR	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
NO	CODE	CODE NO		PART NO				
19	85011012	1658	24	BH60SH65-2804AF - FLP	BIPOLAR	21.0 Kg-cm	2.1 Nm	16390
20	85011012	1659	24	BH60SH86-2804AF - FLP	BIPOLAR	31.0 Kg-cm	3.1 Nm	21550
21	85011012	1936	24	BH60SH86-4004AF - FLP	BIPOLAR	31.0 Kg-cm	3.1 Nm	23705

NEMA 34 (86MM - S) FLP (FLAME PROOF) STEPPER MOTORS

SR	HSN	PRODUCT	NEMA	SQUARE MOTOR	UNIPOLAR/ BIPOLAR	HOLDING TORQUE KG-CM	HOLDING TORQUE Nm	PRICE EACH
NO	CODE	CODE NO		PART NO				
22	85011012	1660	34	BH86SH65-2004AKS - FLP	BIPOLAR	27.4 kg-cm	2.74 Nm	24045
23	85011012	1661	34	BH86SH65-4104AKS - FLP	BIPOLAR	27.4 kg-cm	2.74 Nm	24045
24	85011012	1662	34	BH86SH65-6004AKS - FLP	BIPOLAR	27.4 kg-cm	2.74 Nm	24045
25	85011012	1663	34	BH86SH80-2004AKS - FLP	BIPOLAR	50.9 kg-cm	5.09 Nm	26040
26	85011012	1664	34	BH86SH80-4104AKS - FLP	BIPOLAR	50.9 kg-cm	5.09 Nm	26040
27	85011012	1665	34	BH86SH80-5504AKS - FLP	BIPOLAR	50.9 kg-cm	5.09 Nm	26040
28	85011012	1666	34	BH86SH96-2004AKS - FLP	BIPOLAR	74.4 kg-cm	7.44 Nm	31200
29	85011012	1667	34	BH86SH96-4004AKS - FLP	BIPOLAR	74.4 kg-cm	7.44 Nm	31200
30	85011012	1668	34	BH86SH96-5504AKS - FLP	BIPOLAR	74.4 kg-cm	7.44 Nm	31200
31	85011012	1669	34	BH86SH118-4004AKS - FLP	BIPOLAR	91.9 kg-cm	9.19 Nm	33940
32	85011012	1670	34	BH86SH118-6004AKS - FLP	BIPOLAR	91.9 kg-cm	9.19 Nm	33940
33	85013112	1671	34	BH86SH156-6004AKS - FLP	BIPOLAR	133 kg-cm	13.3 Nm	39200
34	85013112	1672	34	BH86SH156-6204AKS - FLP	BIPOLAR	175.5 kg-cm	17.55 Nm	49280

NOTE FOR ABOVE FLP STEPPER MOTOR MODELS :

1. TYPE B SHAFTS IN NEMA 17, 23, 24, & 34 ARE AVAILABLE ON ORDER AND THE RATE WILL BE 10 % MORE.
2. STANDARD WIRE LENGTH IS 1 MTR, FOR EXTRA LENGTH OF WIRE THE RATE WILL BE 10 % MORE.
3. FOR FLAT MILLING (D TYPE) IS AVAILABLE ON ORDER AND THE RATE WILL BE 5 % MORE.
4. FOR ANY OTHER CHANGES IN THE SHAFT THE MINIMUM MOQ WILL BE 10 NOS.



Terms and conditions :

1. Freight extra @ Actuals on which GST is applicable.
2. Payment terms: 100% along with the order against Proforma invoice.
3. Delivery Period: 1-2 weeks from the date of receipt of payment.
4. Cancellation charges: 80% of confirmed order value.
5. GST extra @ 18%. Please provide GST No. with P.O.
6. Warranty: 1 year from the date of Invoice against manufacturing defects.
7. Validity: 30 days from date.
8. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd, 11, Kembros Industrial Estate
 Sonapur Lane, Bhandup West, Mumbai - ,400078
 Bank name - Kotak Mahindra Bank
 Bank account no - 0911421529 (CA)
 Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
 IFCS CODE - KKBK0000642
 MICR CODE - 400485006

**Bholanath Precision Engineering Pvt. Ltd.**

Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.

Email - support@bholanath.in / nisha.k@bholanath.in

Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733

Website - www.bholanath.in

GST No - 27AACCB6076G12N

Date - February 2019

BHOLANATH ROTARY INDEXING SYSTEMS PRICE LIST

BH-RIS 01									
SR NO	MODEL NO	DESCRIPTION	NOMENCLATURE						PRICE EACH
1	BH-RIS 01-A	RIS 01-A SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	10	20	30	40		23000
1A	BH-RIS 01-A-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 01-A	WEIGHT(Kg)	8.5	4.5	3	2.25		16350
1B	ELECTRICAL PANEL FOR 1 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000
2	BH-RIS 01-B	RIS 01-B SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	10	20	30	40		20500
2A	BH-RIS 01-B-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 01-B	WEIGHT(Kg)	6	3	1.8	1.5		16350
2B	ELECTRICAL PANEL FOR 2 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000
3	BH-RIS 01-C	RIS 01-C SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	10	20	30	40		18500
3A	BH-RIS 01-C-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 01-C	WEIGHT(Kg)	3	1.5	0.9	0.75		16350
3B	ELECTRICAL PANEL FOR 3 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000
BH-RIS 02									
SR NO	MODEL NO	INCLUDING	NOMENCLATURE						PRICE EACH
4	BH-RIS 02-A	RIS 02-A SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	15	20	30	40	50	45500
4A	BH-RIS 02-A-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 02-A	WEIGHT(Kg)	30	22	15	11	9	30000
4B	ELECTRICAL PANEL FOR 4 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000
5	BH-RIS 02-B	RIS 02-B SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	15	20	30	40	50	41400
5A	BH-RIS 02-B-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 02-B	WEIGHT(Kg)	18.5	14	9.3	6.9	5.4	19100
5B	ELECTRICAL PANEL FOR 5 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000
6	BH-RIS 02-C	RIS 02-C SYSTEM WITH BRAKE MOTOR	DIAMETER(Cm)	15	20	30	40	50	33845
6A	BH-RIS 02-C-EL	DRIVE, POWERSUPPLY & CONTROLLER FOR BH-RIS 02-C	WEIGHT(Kg)	9.5	7.2	4.8	3.6	2.9	19100
6B	ELECTRICAL PANEL FOR 6 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.							8000

Terms and conditions :

1. Programming and Commissioning charges extra
2. Freight extra @ Actuals on which GST is applicable
3. Payment terms: 100% along with the order against Proforma invoice
4. Delivery Period: 2 - 4 weeks from the date of receipt of payment
5. Cancellation charges: 80% of confirmed order value
6. GST extra @ 18%. Please provide GST No. with P.O
7. Warranty: 1 year from the date of invoice against manufacturing defects
8. Validity: 30 days from date.
9. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estat Sonapur Lane, Bhandup West, Mumbai - ,400078
Bank name - Kotak Mahindra Bank
Bank account no - 0911421529 (CA)
Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
IFCS CODE - KKBK000642
MICR CODE - 400485006

Bholanath Precision Engineering Pvt. Ltd.

Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.

Email - support@bholanath.in / nisha.k@bholanath.in

Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733



Date - February 2019

Website - www.bholanath.in

BHOLANATH LIQUID DISPENSER PRICE LIST

SR NO	MODEL NO	NOMENCLATURE	PRICE EACH
1	BHLD-60TT	TABLE TOP	80000
2	BHLD-60FS	FLOOR STANDING	92000

Terms and conditions :

1. Freight extra @ Actuals on which GST is applicable.
2. Payment terms: 100% along with the order against Proforma invoice.
3. Delivery Period: 2 weeks from the date of receipt of payment.
4. Cancellation charges: 80% of confirmed order value.
5. GST extra @ 18%. Please provide GST No. with P.O.
6. Warranty: 1 year from the date of invoice against manufacturing defects.
7. Validity: 30 days from date.



8. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate
Sonapur Lane, Bhandup West, Mumbai - ,400078
Bank name - Kotak Mahindra Bank
Bank account no - 0911421529 (CA)
Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
IFCS CODE - KKBK0000642
MICR CODE - 400485006

**Bholanath Precision Engineering Pvt. Ltd.**

Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.

Email - support@bholanath.in / nisha.k@bholanath.in

Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733

Website - www.bholanath.in

GST No - 27AACCB6075G12N

Date - February 2019

BHOANATH HIGH PRECISION XY MULTI AXIS POSITIONING TABLE PRICE LIST - LINEAR LEAD SCREW SLIDES								
SR NO	MODEL NO	NOMENCLATURE						PRICE EACH
		TRAVEL LENGTH	X AXIS 150 MM	Y AXIS 150 MM				
1	BHLS-XY TABLE-150X150	FEED SPEED (mm/sec)	10	40	70	100	120	20000
1A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHLS-XY TABLE-150X150	WEIGHT(Kg)	2.5	2.4	2	1.5	1.2	22775
1B	ELECTRICAL PANEL FOR 1 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000
		TRAVEL LENGTH	X AXIS 300 MM	Y AXIS 300 MM				
2	BHLS-XY TABLE-300X300	FEED SPEED (mm/sec)	5	10	15	20	25	28000
2A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHLS-XY TABLE-300X300	WEIGHT(Kg)	20	18	16	15	14	26590
2B	ELECTRICAL PANEL FOR 2 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000
		TRAVEL LENGTH	X AXIS 500 MM	Y AXIS 500 MM				
3	BHLS-XY TABLE-500X500	FEED SPEED (mm/sec)	5	10	15	20	30	35000
3A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHLS-XY TABLE-500X500	WEIGHT(Kg)	42	40	35	30	25	30350
3B	ELECTRICAL PANEL FOR 3 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000
		TRAVEL LENGTH	X AXIS 1000 MM	Y AXIS 1000 MM				
4	BHLS-XY TABLE-1000X1000	FEED SPEED (mm/sec)	5	10	20	40	60	60000
4A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHLS-XY TABLE-1000X1000	WEIGHT(Kg)	75	70	65	40	25	40660
4B	ELECTRICAL PANEL FOR 4 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000

BHOANATH HIGH PRECISION XY MULTI AXIS POSITIONING TABLE PRICE LIST - LINEAR BALL SCREW SLIDES								
SR NO	MODEL NO	NOMENCLATURE						PRICE EACH
		TRAVEL LENGTH	X AXIS 300 MM	Y AXIS 300 MM				
5	BHBS-XY TABLE-300X300	FEED SPEED (mm/sec)	5	20	40	60	75	45000
5A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHBS-XY TABLE-300X300	WEIGHT(Kg)	65	62	60	55	50	26590
5B	ELECTRICAL PANEL FOR 5 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000
		TRAVEL LENGTH	X AXIS 500 MM	Y AXIS 500 MM				
6	BHBS-XY TABLE-500X500	FEED SPEED (mm/sec)	5	20	40	60	75	60000
6A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHBS-XY TABLE-500X500	WEIGHT(Kg)	260	250	220	200	190	37415
6B	ELECTRICAL PANEL FOR 6 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000
		TRAVEL LENGTH	X AXIS 1000 MM	Y AXIS 1000 MM				
7	BHBS-XY TABLE-1000X1000	FEED SPEED (mm/sec)	5	20	40	60	75	125000
7A	MOTOR, DRIVER, POWERSUPPLY & CONTROLLER FOR BHBS-XY TABLE-1000X1000	WEIGHT(Kg)	550	525	275	250	200	40660
7B	ELECTRICAL PANEL FOR 7 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.						10000

Terms and conditions :

1. Programming and Commissioning charges extra.
2. Freight extra @ Actuals on which GST is applicable.
3. Payment terms: 100% along with the order against Proforma invoice.
4. Delivery Period: 2 - 4 weeks from the date of receipt of payment.
5. Cancellation charges: 80% of confirmed order value.
6. GST extra @ 18%. Please provide GST No. with P.O.
7. Warranty: 1 year from the date of Invoice against manufacturing defects.
8. Validity: 30 days from date.



9. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate
 Sonapur Lane, Bhandup West, Mumbai - 400078
 Bank name - Kotak Mahindra Bank
 Bank account no - 0911421529 (CA)
 Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
 IFC CODE - KIBK0000642
 MICR CODE - 400485006



Bholanath Precision Engineering Pvt. Ltd.

Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.

Email - support@bholanath.in / nisha.k@bholanath.in

Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733

Website - www.bholanath.in

GST No - 27AACCB6076G1ZN

Date - February 2019

BHOANATH ELECTRIC ROD STYLE LINEAR ACTUATOR PRICE LIST							
BH-RSLA-25N FORCE - 25 NEWTONS, FEED - 25 MM/SEC							
MODEL NO	BH-RSLA-25N-2	BH-RSLA-25N-4	BH-RSLA-25N-6	BH-RSLA-25N-8	BH-RSLA-25N-12	BH-RSLA-25N-18	BH-RSLA-25N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	8250	8900	9800	12400	15000	16875	18750
BH-RSLA-40N FORCE - 40 NEWTONS, FEED 25MM/SEC							
MODEL NO	BH-RSLA-40N-2	BH-RSLA-40N-4	BH-RSLA-40N-6	BH-RSLA-40N-8	BH-RSLA-40N-12	BH-RSLA-40N-18	BH-RSLA-40N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	9750	10400	11300	13900	16500	18375	20250
BH-RSLA-350N FORCE - 350 NEWTONS, FEED 7 MM/SEC							
MODEL NO	BH-RSLA-350N-2	BH-RSLA-350N-4	BH-RSLA-350N-6	BH-RSLA-350N-8	BH-RSLA-350N-12	BH-RSLA-350N-18	BH-RSLA-350N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	10750	11400	12300	14900	17500	19375	21250
BH-RSLA-475N FORCE - 475 NEWTONS, FEED 7 MM/SEC							
MODEL NO	BH-RSLA-475N-2	BH-RSLA-475N-4	BH-RSLA-475N-6	BH-RSLA-475N-8	BH-RSLA-475N-12	BH-RSLA-475N-18	BH-RSLA-475N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	12250	12900	13800	16400	19000	20875	22750
BH-RSLA-875N FORCE - 875 NEWTONS, FEED 7 MM/SEC							
MODEL NO	BH-RSLA-875N-2	BH-RSLA-875N-4	BH-RSLA-875N-6	BH-RSLA-875N-8	BH-RSLA-875N-12	BH-RSLA-875N-18	BH-RSLA-875N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	25000	26500	28000	29500	31000	32500	34000
BH-RSLA-1150N FORCE - 1150 NEWTONS, FEED 7 MM/SEC							
MODEL NO	BH-RSLA-1150N-2	BH-RSLA-1150N-4	BH-RSLA-1150N-6	BH-RSLA-1150N-8	BH-RSLA-1150N-12	BH-RSLA-1150N-18	BH-RSLA-1150N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	28000	31000	33000	34500	36000	37500	39000
BH-RSLA-1900N FORCE - 1900 NEWTONS, FEED 7 MM/SEC							
MODEL NO	BH-RSLA-1900N-2	BH-RSLA-1900N-4	BH-RSLA-1900N-6	BH-RSLA-1900N-8	BH-RSLA-1900N-12	BH-RSLA-1900N-18	BH-RSLA-1900N-24
TRAVEL LENGTH	2 INCH	4 INCH	6 INCH	8 INCH	12 INCH	18 INCH	24 INCH
PRICE EACH	36000	37500	39000	41000	44000	48000	52000

Terms and conditions :

1. Programming and Commissioning charges extra.
2. Freight extra @ Actuals on which GST is applicable.
3. Payment terms: 100% along with the order against Proforma invoice.
4. Delivery Period: 2 - 4 weeks from the date of receipt of payment.
5. Cancellation charges: 80% of confirmed order value.
6. GST extra @ 18%. Please provide GST No. with P.O.
7. Warranty: 1 year from the date of Invoice against manufacturing defects.
8. Validity: 30 days from date.
9. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate Sonapur Lane, Bhandup West, Mumbai - ,400078
Bank name - Kotak Mahindra Bank
Bank account no - 0911421529 (CA)
Branch - Marathon Max LBS Road Mulund (W), Mumbai. Code - 642
IFCS CODE - KKBK0000642
MICR CODE - 400485006





Bholanath Precision Engineering Pvt. Ltd.
 Office: 11, Kembros Indl. Estate, Sonapur Lane, Bhandup-W, Mumbai-400 078.
 Email - support@bholanath.in / nisha.k@bholanath.in
 Tel Nos - 91 - 22 - 25662856 / 25664338 / 67993260 / 9821671733
 Website - www.bholanath.in
 GST No - 27AACB6076G12N

Date - February 2019

BHOLANATH X AXIS POSITIONING TABLE PRICE LIST

SR NO	MODEL NO	NOMENCLATURE					PRICE EACH	
		FEED SPEED (mm/sec)						
1	BHLS-XSLIDE-150 WITH MOTOR	10	40	70	100	120	12250	
1A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHLS-XSLIDE-150	WEIGHT(Kg)	2.5	2.2	1.6	1.3	1.2	10800
1B	ELECTRICAL PANEL FOR 1 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
2	BHLS-XSLIDE-300 WITH MOTOR	10	40	70	100	120	14750	
2A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHLS-XSLIDE-300	WEIGHT(Kg)	4.5	4	3.5	3	2.5	14850
2B	ELECTRICAL PANEL FOR 2 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
3	BHLS-XSLIDE-500 WITH MOTOR	5	10	15	20	30	25120	
3A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHLS-XSLIDE-500	WEIGHT(Kg)	4.5	40	35	30	28	14850
3B	ELECTRICAL PANEL FOR 3 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
3C	BELLOW FOR 3	DUST FREE BELLOW FOR LONG LIFE.					4000	
4	BHLS-XSLIDE-1000 WITH MOTOR	5	10	15	30	60	45350	
4A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHLS-XSLIDE-1000	WEIGHT(Kg)	95	90	80	40	20	19100
4B	ELECTRICAL PANEL FOR 4 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
4C	BELLOW FOR 4	DUST FREE BELLOW FOR LONG LIFE.					8000	

SR NO	MODEL NO	NOMENCLATURE					PRICE EACH	
		FEED SPEED (mm/sec)						
5	BHBS-XSLIDE-150 WITH MOTOR	5	20	40	60	75	17500	
5A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHBS-XSLIDE-150	WEIGHT(Kg)	35	34	30	23	18	11450
5B	ELECTRICAL PANEL FOR 5 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
6	BHBS-XSLIDE-300 WITH MOTOR	5	20	40	60	75	21000	
6A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHBS-XSLIDE-300	WEIGHT(Kg)	65	60	55	50	36	14850
6B	ELECTRICAL PANEL FOR 6 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
7	BHBS-XSLIDE-500 WITH MOTOR	5	20	40	60	75	26970	
7A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHBS-XSLIDE-500	WEIGHT(Kg)	165	155	130	115	100	14850
7B	ELECTRICAL PANEL FOR 7 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
7C	BELLOW FOR 7	DUST FREE BELLOW FOR LONG LIFE.					4000	
8	BHBS-XSLIDE-1000 WITH MOTOR	5	25	50	100	150	57490	
8A	DRIVE, POWERSUPPLY & CONTROLLER FOR BHBS-XSLIDE-1000	WEIGHT(Kg)	360	335	255	135	85	19100
8B	ELECTRICAL PANEL FOR 8 A	FABRICATED POWDER COATED PANEL BOX WITH INDICATORS, COOLING FAN & FILTER, EMERGENCY SWITCH, SCHNEIDER MAKE MCB, POLYCARB FLEXIBLE WIRES & CONNECTWELL TERMINALS.					8000	
8C	BELLOW FOR 8	DUST FREE BELLOW FOR LONG LIFE.					8000	

Terms and conditions :

1. Programming and Commissioning charges extra.
2. Freight extra @ Actuals on which GST is applicable.
3. Payment terms: 100% along with the order against Proforma invoice.
4. Delivery Period: 2 - 4 weeks from the date of receipt of payment.
5. Cancellation charges: 80% of confirmed order value.
6. GST extra @ 18%. Please provide GST No. with P.O.
7. Warranty: 1 year from the date of Invoice against manufacturing defects.
8. Validity: 30 days from date.
9. BANKING DETAILS -Bholanath Precision Engineering Pvt Ltd. 11, Kembros Industrial Estate Sonapur Lane, Bhandup West, Mumbai - ,400078
 Bank name - Kotak Mahindra Bank
 Bank account no - 0911421529 (CA)
 Branch - Marathon Max 185 Road Mulund (W), Mumbai. Code - 642
 IFCS CODE - KKBK0006612
 MICR CODE - 400485006

